



8th GUILDFORD ADVANCED PAIN & SYMPTOM MANAGEMENT COURSES REFERENCE / READING LIST

OVERCOMING THE BARRIERS TO PAIN CONTROL

Wendy Oldenmenger

- Van den Beuken-van Everdingen MH, de Rijke JM, Kessels AG et al. Prevalence of pain in patients with cancer: a systematic review of the past 40 years. *Ann Oncol.* 2007;18(9):1437-49.
- Jadad AR, Browman GP. The WHO analgesic ladder for cancer pain management. Stepping up the quality of its evaluation. *JAMA.* 1995;274(23): 1870-3.
- Deandrea S, Montanari M, Moja L et al. Prevalence of undertreatment in cancer pain. A review of published literature. *Ann Oncol.* 2008.19(12): 1985-91. *Copy available on course website*
- Ward SE, Goldberg N, Miller-McCauley V et al. Patient-related barriers to management of cancer pain. *Pain.* 1993;52(3):319-24.
- Kuip EJM, Oldenmenger WH, Oomen-de Hoop E et al. Pharmacokinetics of Sublingually Delivered Fentanyl in Head and Neck Cancer Patients Treated with Curatively Aimed Chemo or Bioradiotherapy. *Cancers (Basel).* 2018 Nov 15;10(11). pii: E445.
- Oldenmenger WH, Sillevius Smitt PAE, Van Dooren S et al. A systematic review on barriers hindering adequate cancer pain management and interventions to reduce them: a critical appraisal. *Eur J Cancer.* 2009;45(8): 1370-80.
- Oldenmenger WH, Echteld MA, de Wit R et al. Analgesic adherence measurement in cancer patients: comparison between electronic monitoring and diary. *J Pain Symptom Manage.* 2007; 34(6): 639-47.
- Oldenmenger WH, Geerling JI, Mostovaya I et al. A systematic review of the effectiveness of patient-based educational interventions to improve cancer-related pain. *Cancer Treat Rev.* 2018 Feb;63:96-103. *Copy available on course website*
- Oldenmenger WH, Baan MAG, van der Rijt CCD. Development and feasibility of a web application to monitor patients' cancer-related pain. *Support Care Cancer.* 2018 Feb;26(2):635-642. *Copy available on course website*
- Oldenmenger WH, Witkamp FE, Bromberg JE et al. To be in pain (or not): a computer enables outpatients to inform their physician. *Ann Oncol.* 2016 Sep;27(9):1776-81.
- Oosten AW, Oldenmenger WH, Mathijssen RH et al. A Systematic Review of Prospective Studies Reporting Adverse Events of Commonly Used Opioids for Cancer-Related Pain: A Call for the Use of Standardized Outcome Measures. *J Pain.* 2015 Oct;16(10):935-46.
- Oosten AW, Abrantes JA, Jönsson S et al. Treatment with subcutaneous and transdermal fentanyl: results from a population pharmacokinetic study in cancer patients. *Eur J Clin Pharmacol.* 2016 Apr;72(4):459-67.

- Jacobsen R, Sjogren P, Moldrup C et al. Physician-related barriers to cancer pain management with opioid analgesics: a systematic review. *J opioid Manag.* 2007; 3(4):207-14.
- Dalal S, Bruera E. Access to opioid analgesics and pain relief for patients with cancer. *Nat Rev Clin Oncol.* 2013; 10(2): 108-16.
- Rhondali W, Burt S, Wittenberg-Lyles E et al. Medical oncologists' perception of palliative care programs and the impact of name change to supportive care on communication with patients during the referral process. A qualitative study. *Palliat Support Care.* 2013; 10:1-8.
- Breuer B, Fleishman SB, Cruciani RA et al. Medical oncologists' attitudes and practice in cancer pain management: a national survey. *J Clin Oncol.* 2011; 29(36):4769-75.
- Gilson AM, Maurer MA, Lebaron VT et al. Multivariate analysis of countries' government and health-care system influences on opioid availability for cancer pain relief and palliative care: more than a function of human development. *Palliat Med.* 2013; 27(2): 105-14.
- Cherny NI, Baselga J, de Conno F et al. Formulary availability and regulatory barriers to accessibility of opioids for cancer pain in Europe: a report from the ESMO/EAPC Opioid Policy Initiative. *Ann Oncol.* 2010; 21(3):615-26.
- Lizée T, Basch E, Trémolières P et al. Cost-Effectiveness of Web-Based Patient-Reported Outcome Surveillance in Patients With Lung Cancer. *J Thorac Oncol.* 2019 Jun;14(6):1012-1020.
- Denis F, Basch E, Septans AL et al. Two-Year Survival Comparing Web-Based Symptom Monitoring vs Routine Surveillance Following Treatment for Lung Cancer. *JAMA.* 2019 Jan 22;321(3):306-307.
- Basch E, Deal AM, Dueck AC et al. Overall Survival Results of a Trial Assessing Patient-Reported Outcomes for Symptom Monitoring During Routine Cancer Treatment. *JAMA.* 2017 Jul 11;318(2):197-198.
- Basch E, Deal AM, Kris MG et al. Symptom Monitoring With Patient-Reported Outcomes During Routine Cancer Treatment: A Randomized Controlled Trial. *J Clin Oncol.* 2016 Feb 20;34(6):557-65.
- Osborn J, Ajakaiye A, Cooksley R et al. Do mHealth applications improve clinical outcomes of patients with cancer? A critical appraisal of the peer-reviewed literature. *Supportive Care in Cancer* 2019 [Epub ahead of print]. ***Copy available on course website***

EQUIANALGESIA

Andrew Dickman

- Azzam AH, McDonald J, Lambert DG. Hot topics in opioid pharmacology: mixed and biased opioids. *British Journal of Anaesthesia* 2019; 122: e136-45. ***Copy available on course website***
- Rennick A, Atkinson T, Cimino NM et al. Variability in opioid equivalence calculations. *Pain Medicine* 2016; 17: 892-8. ***Copy available on course website***
- Rivat C, Ballantyne J. The dark side of opioids in pain management: basic science explains clinical observation. *Pain Reports* 2016; 1: e570. ***Copy available on course website***
- Schuster M, Bayer O, Heid F et al. Opioid rotation in cancer pain treatment. A systematic review. *Deutsches Arzteblatt International* 2018; 115: 135-42. ***Copy available on course website***

- Treillet E, Laurent S, Hadjiat Y. Practical management of opioid rotation and Equianalgesia. *Journal of Pain Research* 2018; 11: 2587-601. *Copy available on course website*

PHYSICAL INTERVENTIONS FOR PAIN – HEAT, COLD, MASSAGE, TENS

Jo Thompson

- Bennett M, Johnson M, Brown S, Radford H et al. Feasibility study of transcutaneous electrical nerve stimulation (TENS) for cancer bone pain. *The Journal of pain* 2010; 11: 351-359
- Chou R & Huffman L. Non-pharmacologic therapies for acute and chronic low back pain: a review of evidence for an American Pain Society/American College of Physicians Clinical Practice Guideline. *Annals of Internal Medicine* 2007; 147:492-504
- Daguét I, Bergeron-Vezina K, Harvey M, Martel M et al. Transcutaneous electrical nerve stimulation and placebo analgesia: is the effect the same for young and older individuals? *Clinical interventions in aging* 2018; 13: 335-342
- Davies A, Buchanan A, Zeppetella G, Porta-Sales J et al. Breakthrough cancer pain: an observational study of 1000 European oncology patients. *Journal of pain and symptom management* 2013; 46: 619-628
- French SD, Cameron M, Walker BF, Reggars JW, Esterman AJ. Superficial heat or cold for low back pain. *Cochrane Database of Systematic Reviews* 2006, Issue 1. Art. No.: CD004750.
- Gibson W, Wand BM, Meads C, Catley MJ, O’Connell NE.
- Transcutaneous electrical nerve stimulation (TENS) for chronic pain - an overview of Cochrane Reviews. *Cochrane Database of Systematic Reviews* 2019, Issue 4. Art. No.: CD011890.
- Hokka M, Kaakinen P, Polkki T. A systematic review: non-pharmacological interventions in treating pain in patients with advanced cancer. *Journal of advanced nursing* 2014; 70:1954-1969
- Hsieh C, Kong J, Kirsch I, Edwards R et al. Well-loved music robustly relieves pain: A randomised controlled trial. *Plos one* 2014; 9: 1-8 (open access)
- Hurlow A, Bennett MI, Robb KA, Johnson MI, Simpson KH, Oxberry SG. Transcutaneous electric nerve stimulation (TENS) for cancer pain in adults. *Cochrane Database of Systematic Reviews* 2012, Issue 3. Art. No.: CD006276.
- Kalinowski S, Budnick A, Kubnert R, Konner F et al. Nonpharmacologic pain management interventions in german nursing homes: A cluster randomised trial. *Pain management in nursing* 2015; 16: 464 – 474
- Malanga G, Yan N, Stark J. Mechanisms and efficacy of heat and cold therapies for musculoskeletal injury. *Postgraduate medicine* 2015; 127: 57- 65
- McDonald M, Soutar C, Chan M, Afriyie A. A closer look: alternative pain management practices by heart failure patients with chronic pain. *Heart & lung* 2015; 44: 395-399
- Nanneman D. Thermal modalities: heat and cold. A review of physiologic effects with clinical applications. *AAOHN Journal* 1991; 39:70-75.
- Perret D, Rim J, Cristian A. A geriatrician’s guide to the use of the physical modalities in the treatment of pain and dysfunction. *Clin Geriatr Med* 2006; 22:331-354
- Petrofsky J, Laymon M, Alshammari F, Khowailed I et al. Use of low level continuous heat and ibuprofen as an adjunct to physical therapy improves pain relief, range of motion and the compliance for home exercise in patients with non-specific neck pain. *Journal of back and musculoskeletal rehabilitation* 2017; 1:1-8

- Shropshire M, Stapleton S, Dyck M, Kim M et al. Non-pharmacological interventions for persistent, noncancer pain in elders residing in long-term care facilities: An integrative review of the literature. *Nurs Forum* 2018; 53: 538-548
- Stewart M & Cox-Davenport R. Comparative analysis of registered nurses' and student nurses' attitudes and use of nonpharmacologic methods of pain management. *Pain management in nursing* 2015; 16: 499-502
- Wiffen P. Evidence based pain management and palliative care in issue one for 2006 of *the Cochrane library*, *Journal of pain and palliative care pharmacotherapy*; 20: 77-78

WHAT ELSE IS NEW (PAIN)?

Andrew Davies; Andrew Dickman

- Lyndon A, Audrey S, Wells C et al. Risk to heroin users of poly-drug use of pregabalin or gabapentin. *Addiction*. 2017; 112: 1580-1589. ***Copy available on course website***
- Mersfelder TL, Nichols WH. Gabapentin: abuse, dependence, and withdrawal. *Annals of Pharmacotherapy* 2016; 50: 229-33. ***Copy available on course website***
- Molero Y, Larsson H, D'Onofrio BM et al. Associations between gabapentinoids and suicidal behaviour, unintentional overdoses, injuries, road traffic incidents, and violent crime: population based cohort study in Sweden. *BMJ* 2019; 365: 12147. ***Copy available on course website***
- Public Health England. Advice for prescribers on the risk of misuse of pregabalin and gabapentin. London: Public Health England and NHS England; 2014. ***Copy available on course website***
- World Health Organization. WHO Guidelines for the pharmacological and radiotherapeutic management of cancer pain in adults and adolescents. WHO: Geneva; 2019. ***Copy available from World Health Organisation website: <https://www.who.int/ncds/management/palliative-care/cancer-pain-guidelines/en/>***

ANALGESIC RESPONSE – WHAT SHOULD WE EXPECT?

Andrew Davies

- Bruera E, Kim HN. Cancer pain. *JAMA* 2003; 290: 2476-9.
- Deandrea S, Montanari M, Moja L et al. Prevalence of undertreatment in cancer pain. A review of published literature. *Ann Oncol* 2008; 19: 1985-91. ***Copy available on course website***
- de Wit R, van Dam F, Abu-Saad HH et al. Empirical comparison of commonly used measures to evaluate pain treatment in cancer patients with chronic pain. *J Clin Oncol* 1999; 17: 1280-7.
- Dworkin RH, Turk DC, Wyrwich KW et al. Interpreting the clinical importance of treatment outcomes in chronic pain clinical trials: IMMPACT recommendations 2008; 9: 105-21.
- Farrar JT, Young JP, LaMoreaux L et al. Clinical importance of changes in chronic pain intensity measured on an 11-point numerical pain rating scale. *Pain* 2001; 94: 149-58.
- Farrar JT, Dworkin RH, Max MB. Use of the cumulative proportion of responders analysis graph to present pain data over a range of cut-off points: making clinical trial data more understandable. *J Pain Symptom Manage* 2006; 31: 369-77.
- Moore A. What is an NNT? Newmarket: Hayward Medical Communications; 2009. ***Copy available on course website***
- Moore A, Derry S, Ecclestone C, Kalso E. Expect analgesic failure; pursue analgesic success. *BMJ* 2013; 346: f2690.

BREATHLESSNESS – WHAT WORKS (AND IN WHOM)

Dr Sara Booth

Overall references - books

- Palliative Care in Respiratory Disease eds Claudia Bausewein, David Currow and Miriam Johnson ERS Monograph series 2016
- 'Illness, the Cry of the Flesh' by Havi Carel. Routledge, 2018

Reviews

- Sara Booth, Chloe Chin, Anna Spathis, Matthew Maddocks, Janelle Yorke, Julie Burkin, Catherine Moffat, Morag Farquhar & Claudia Bausewein (2018) Non-pharmacological interventions for breathlessness in people with cancer, Expert Review of Quality of Life in Cancer Care, DOI: [10.1080/23809000.2018.1524708](https://doi.org/10.1080/23809000.2018.1524708)
- Booth et al, Enhancing well-being and building resilience in people living with cancer parts 1& 2: a central role for nurses. Cancer Nursing Practice December 2018, 07 January 2019 / Vol 18 issue 1

Breathlessness services including complex interventions

- Booth S, Silvester Stella, and Todd Christopher Breathlessness in cancer and chronic obstructive pulmonary disease: Using a qualitative approach to describe the experience of patients and carers. *Palliative and Supportive Care*, (2003), **1**: 337 – 344.
- Booth S, Farquhar M, Gysels M, Bausewein C, Higginson IJ The impact of a Breathlessness Intervention Service (BIS) on the lives of patients with intractable dyspnoea: a qualitative Phase 1 study. *Palliative & Supportive Care* 2006;4 : 287 - 293
- Brighton LJ, Miller S, Farquhar M, Booth S, Deokhee Y, Wei G, Bajwah S, Man W D-C, Higginson IJ, Maddocks M. Holistic services for people with advanced disease and chronic or refractory breathlessness: a systematic review and meta-analysis *in press Thorax*
- Brighton LJ, Tunnard I, Farquhar M, Booth S, Miller S, Deokhee Y, Wei G, Bajwah S, Man W-C, Reilly C, Ogden M, Bailey S, Ewart C, Higginson IJ, Maddocks M. Recommendations for services for people with living with chronic breathlessness in advanced disease: results of a transparent expert consultation *in press Chronic Respiratory Disease*
- Farquhar M, Prevost AT, McCrone P et al. Is a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. *BMC Medicine* 2014;12:194
- Higginson I, Bausewein C, Reilly C, et al. An integrated palliative and respiratory care service for patients with advanced disease and refractory breathlessness: a randomised controlled trial. *The Lancet Respiratory Medicine* 2014;2(12):979-987
- Johnson M, Kanaan M, Richardson G, et al. A randomised controlled trial of three or one breathing technique training sessions for breathlessness in people with malignant lung disease. *BMC Medicine* 2015;13:213.
- Spathis A, Booth S, Moffat C, Hurst R, Ryan R, Chin C, Burkin J. The Breathing, Thinking, Functioning clinical model: a proposal to facilitate evidence-based breathlessness management in chronic respiratory disease. *Primary Care Respiratory Medicine* 2017 DOI: [10.1038/s41533-017-0024-z](https://doi.org/10.1038/s41533-017-0024-z)

Systematic review protocols on drug-free interventions

- Bolzani A, Rolser SM, Kalies H, Maddocks M, Rehfuess E, Hutchinson A, Gysels M, Higginson IJ, Booth S, Bausewein C, Cognitive-emotional interventions for breathlessness in adults with advanced diseases Cochrane Database of Systematic Reviews 2017 DOI: [10.1002/14651858.CD012682](https://doi.org/10.1002/14651858.CD012682) ISSN: 14651858

- Bolzani A, Rolser SM, Kalies H, Maddocks M, Rehfuess E, Hutchinson A, Gysels M, Higginson IJ, Booth S, Bausewein C, Physical interventions for breathlessness in adults with advanced diseases Cochrane Database of Systematic Reviews May 2017
- Bolzani A, Rolser SM, Kalies H, Maddocks M, Rehfuess E, Swan F, Higginson IJ, Booth S, Bausewein C, Respiratory Interventions for Breathlessness in Adults with Advanced Disease Cochrane Database of Systematic Reviews Issue 6, 2017

Mind-body and integrative medicine interventions

- Chan R, Giardino N, Larson J. A pilot study: mindfulness meditation intervention in COPD. *International Journal of Chronic Obstructive Pulmonary Disease* 2015;10:445-454
- Feng J, Wang X, Li X et al. Acupuncture for chronic obstructive pulmonary disease (COPD): a multicenter, randomized, sham-controlled trial. *Medicine* 2016;95:40(e4879)
- Gendron L, Nyberg A, Saey D et al. Active mind-body movement therapies for chronic obstructive pulmonary disease *Cochrane Database of Systematic Reviews* 2018;10:CD012290
- Lau K, Jones A. A single session of Acu-TENS increases FEV₁ and reduces dyspnoea in patients with chronic obstructive pulmonary disease: a randomised, placebo-controlled trial. *Australian Journal of Physiotherapy* 2008; 54:179-184.
- Malpass A, Feder G, Dodd J. Understanding changes in dyspnoea perception in obstructive lung disease after mindfulness training. *BMJ Open Respiratory Research* 2018;5:e000309
- Polkey M, Qiu, Z-H, Zhou L, Zhu M-D, Wu Y-X, Chen Y-Y, Ye S-P, Jian M, He B-T, Mehta B, Zhong M-S, Luo Y-M. Tai Chi and Pulmonary Rehabilitation Compared for Pulmonary Rehabilitation for Treatment Naïve Patients with COPD: A randomized controlled trial. *Chest in press* 2018

Psychological interventions

- Benzo Roberto P, Kirsch JL, Dulohery MM, Abascal-Bolado. Emotional Intelligence: A novel outcome associate with wellbeing and self-management in Chronic Obstructive Pulmonary Disease. *Annals Am Thor Soc* 2016; 13:1:10-16
- Howard C, Dupont S. ‘The COPD breathlessness manual’: a randomised controlled trial to test a cognitive-behavioural manual versus information booklets on health service use, mood and health status, in patients with chronic obstructive pulmonary disease. *Primary Care Respiratory Medicine* 2014;24:1407
- Hyland M, Halpin D, Blake S. Preferences for different relaxation techniques by COPD patients: comparison between six techniques. *International Journal of COPD* 2016;11:2315-2319
- Livermore N, Dimitri A, Sharpe L et al. Cognitive behaviour therapy reduces dyspnoea ratings in patients with chronic obstructive pulmonary disease (COPD). *Respiratory Physiology and Neurobiology* 2015;216:35-42
- Ramachandra P, Booth S, Pieters T, Vrotsou K, Huppert F, 2009 A brief self-administered psychological intervention to improve well-being in patients with cancer: results from a feasibility study. *Psycho-oncology* 2009; 18; 12: (The Wellbeing Journal)151
- Reijnders T, Schuler M, Jelusic D, Troosters T, Janssens W, Schultz R, Von Leupoldt A. The Impact of Loneliness on Outcomes of Pulmonary Rehabilitation in COPD *Journal of Chronic Obstructive Pulmonary Disease* DOI: 10.1080/15412555.2018.1471128 November 2018

Carers

- Farquhar M, Penfold C, Benson J, Lovick R, Mahadeva R, Howson S, Burkin J, Booth S, Gilligan D, Todd C, Ewing G, Six key topics informal carers of breathlessness in

advanced disease want to learn about and why; MRC phase 1 study to inform an educational intervention PLOS 1 : 2017 <https://doi.org/10.1371/journal.pone.0177081>

Oxygen and other drugs

- Booth S., Kelly M., Cox N.P.G., Adams L., Guz A. *The American Journal of Respiratory and Critical Care Medicine*, (1996) **153**: 1515 -1518.
- Lovell N, Bajwah S, Maddocks M, Wilcock A, Higginson IJ, Use of Mirtazepine in patients with Chronic Breathlessness; a Case Series *Palliative Medicine* 2018; 32:9: 1518-1521
- Simon S, Higginson I, Booth S, et al. Benzodiazepines for the relief of breathlessness in advanced malignant and non-malignant diseases in adults. *Cochrane Database of Systematic Reviews* 2016;10:CD007354.
- Uronis H et al. Oxygen for relief of dyspnoea in mildly- or non-hypoxaemic patients with cancer: a systematic review and meta-analysis. *British Journal of Cancer*. 2008;98(2):294-299

Other drug free interventions e.g. the fan

- Bausewein C, Booth S, Gysels M, Higginson I. Non-pharmacological interventions for breathlessness in advanced stages of malignant and non-malignant disease. *Cochrane Database Systematic Reviews* 2008;(2):CD005623
- Galbraith S, Fagan P, Perkins P et al. Does the use of a handheld fan improve chronic dyspnoea? A randomised, controlled, crossover trial. *Journal of Pain and Symptom Management* 2010;39(5):831-838
- Grogono J, Butler C, Izang H, Moosavi S Inhaled furosemide for relief of air hunger versus sense of breathing effort: a randomized controlled trial. *Respiratory Research* 2018: 19; 181
- Kako J, Morita J, Yamaguchi T et al. Fan Therapy Is Effective in Relieving Dyspnea in Patients With Terminally Ill Cancer: A Parallel-Arm, Randomized Controlled Trial *Journal of Pain and Symptom Management* 2018;56(4):493-500
- Kako J, Morita J, Yamaguchi T et al. Evaluation of the Appropriate Washout Period Following Fan Therapy for Dyspnea in Patients With Advanced Cancer: A Pilot Study. *American Journal of Hospice and Palliative Medicine* 2018;35(2):1-4
- Liss HP & Grant BJ. The effect of nasal flow on breathlessness in patients with COPD *American Review of Respiratory Disease* 1988;137(6):1285-8
- Lockett T, Phillips J, Johnson M et al. Contributions of a hand-held fan to self-management of chronic breathlessness. *European Respiratory Journal* 2017;50(2):1700262
- Marchetti N, Lammi M, Travaline J et al. Air current applied to the face improves exercise performance in patients with COPD. *Lung* 2015;193(5):725-731
- Schwartzstein RM, Lahive K, Pope A et al. Cold facial stimulation reduces breathlessness induced in normal subjects *American Review of Respiratory Diseases* 1987;136(1):58-61
- Simon PM, Basner RC, Weinberger SE et al. Oral mucosal stimulation modulates intensity of breathlessness in normal subjects. *American Review of Respiratory Disease* 1991;144(2):419-22
- Velloso M, Jardim J. Functionality of patients with chronic obstructive pulmonary disease: energy conservation techniques. *Brazilian Journal of Pulmonology* 2006;32(6):580-6

Breathing techniques

- Bianchi, R. Patterns of chest wall kinematics during volitional pursed-lip breathing in COPD at rest. *Respiratory Medicine* 2007;101(7):1412-8

- Borge C, Hagen K, Mengshoel A et al. Effects of controlled breathing exercises and respiratory muscle training in people with chronic obstructive pulmonary disease: results from evaluating the quality of evidence in systematic reviews. *BMC Pulmonary Medicine* 2014;14(1):184-184
- Gosselink R. Breathing techniques in patients with chronic obstructive pulmonary disease (COPD). *Chronic Respiratory Disease* 2004;1(3):163-72
- Hochsetter J, Lewis J, Soares-Smith L. An investigation into the immediate impact of breathlessness management on the breathless patient: a randomised controlled trial. 2005 *Physiotherapy* 2005;91(3):178-185
- Holland A, Hill C, Jones A, McDonald C. Breathing exercises for chronic obstructive pulmonary disease. *Cochrane Database of Systematic Reviews* 2012;CD008250
- Mark D, Ikehara C, Matsuura C et al. Validating the Impact of Teaching Pursed-Lips Breathing With Skype: A Pilot Study *Journal of Hospice and Palliative Nursing* 2013;15(8):424-432
- Martin A, Davenport P. Extrinsic Threshold PEEP Reduces Post-exercise Dyspnea in COPD Patients: A Placebo-controlled, Double-blind Cross-over Study. *Cardiopulmonary Physical Therapy Journal* 2011;22(3):5-10
- Mayer A, Fleig A, Karloh M et al. Effects of acute use of pursed-lips breathing during exercise in patients with COPD: a systematic review and meta-analysis. *Physiotherapy* 2018;104(1):9-17
- Nield MA, Hoo GWS; Roper JM, Santiago S. Efficacy of pursed-lips breathing: a breathing pattern retraining strategy for dyspnea reduction. *Journal of Cardiopulmonary Rehabilitation & Prevention* 2007;27(4):237-244
- O'Donnell D. Hyperinflation, dyspnoea and exercise intolerance in COPD *Proceedings of the American Thoracic Society* 2006;3:180-184
- Parati G, Malfatto G, Boarin S et al. Device-guided paced breathing in the home setting: effects on exercise capacity, pulmonary and ventricular function in patients with chronic heart failure: a pilot study. *Circ Heart Failure* 2008;1(3)178-83
- Roberts S, Schreuder F, Watson et al. Do COPD patients taught pursed lips breathing (PLB) for dyspnoea management continue to use the technique long-term? A mixed methodological study. *Physiotherapy* 2017;103(4):465-470
- Seo U, Yates B, La Framboise L et al. A Home-Based Diaphragmatic Breathing Retraining in Rural Patients With Heart Failure. *Western Journal of Nursing Research* 2016;38(3):270-291
- Spahija J, de Marchie M, Grassino A. Effects of imposed pursed-lips breathing on respiratory mechanics and dyspnea at rest and during exercise in COPD. *Chest* 2005;128(2):640-50
- Spahija J, de Marchie M, Ghezzod H, Grassino A. Factors discriminating spontaneous pursed-lips breathing use in patients with COPD. *Chronic Obstructive Pulmonary Disease* 2010;7(4):254-61.

Exercise and adjuncts to exercise

- Basso-Vanelli R, Di Lorenzo V, Labadessa I et al. Effects of Inspiratory Muscle Training and Calisthenics and Breathing Exercises in COPD With and Without Respiratory Muscle Weakness. *Respiratory Care* 2016;61(1);50-60
- Beaumont M, Mialon P, Le Ber-Moy C et al. Inspiratory muscle training during pulmonary rehabilitation in chronic obstructive pulmonary disease: A randomized trial. *Chronic Respiratory Disease* 2015;12(4);305-12
- Bittencourt H, Cruz C, David B et al. Addition of non-invasive ventilatory support to combined aerobic and resistance training improves dyspnea and quality of life in heart

failure patients: a randomized controlled trial. *Clinical Rehabilitation* 2017;31(11):1508-1515

- Bolton C, Bevan-Smith E, Blakey J et al. BTS guideline on pulmonary rehabilitation in adults *Thorax* 2013;68(Supp 2)
- Cahalin L, Arena R, Guazzi M et al. Inspiratory muscle training in heart disease and heart failure: a review of the literature with a focus on method of training and outcomes. *Expert Review of Cardiovascular Therapy* 2013;11(2):161-177
- Chuang H, Chang H, Fang Y, Guo S. The effects of threshold inspiratory muscle training in patients with chronic obstructive pulmonary disease: A randomised experimental study. *Journal of Clinical Nursing* 2017;26(23/24):4830-8
- Hill K, Cavalheri V, Mathur S et al. Neuromuscular electrostimulation for adults with chronic obstructive pulmonary disease *Cochrane Database of Systematic Reviews* 2018;CD010821
- Hoffman M, Assis M, Augusto V et al. The effects of inspiratory muscle training based on the perceptions of patients with advanced lung disease: a qualitative study. *Brazilian Journal of Physical Therapy* 2018;22(3):215-221
- Jones S, Man W, Gao W et al. Muscle stimulation for weakness in adults with advanced disease *Cochrane Database of Systematic Reviews* 2016;CD009419
- Karadallı M, Boşnak-Güçlü M, Camcıoğlu B et al. Effects of Inspiratory Muscle Training in Subjects With Sarcoidosis: A Randomized Controlled Clinical Trial. *Respiratory Care* 2016;61(4):483-494
- Kato D, Dobashi K, Fueki M. Short-term and long-term effects of a self-managed physical activity program using a pedometer for chronic respiratory disease: a randomized controlled trial. *Journal of Physical Therapy Science* 2017;29(5):807-812
- Lin S, McElfresh J, Hall B et al. Inspiratory Muscle Training in Patients with Heart Failure: A Systematic Review. *Cardiopulmonary Physical Therapy Journal* 2012;23(3):29-36
- McCarthy B, Casey D, Devane D, et al. Pulmonary rehabilitation for chronic obstructive pulmonary disease. *Cochrane Database of Systematic Reviews* 2015;23(2):CD003793.
- McKeough Z, Velloso M, Lima V et al. Upper limb exercise training for COPD *Cochrane Database of Systematic Reviews* 2016;CD011434
- Menadue C, Alison JA, Piper AJ et al. Bilevel ventilation during exercise in acute on chronic respiratory failure: a preliminary study. *Respiratory Medicine* 2010;104(2):219-27
- Mendoza L et al. Pedometers to enhance physical activity in COPD: a randomised controlled trial *European Respiratory Journal* 2015;45;347-354
- Molassiotis A, Charalambous A, Taylor P et al. The effect of resistance inspiratory muscle training in the management of breathlessness in patients with thoracic malignancies: a feasibility randomised trial. *Supportive Care in Cancer* 2015;23(6):1637-1645
- Ozalevli S, Ozden A, Itil O, Akkoçlu A. Comparison of the Sit-to-Stand Test with 6 min walk test in patients with chronic obstructive pulmonary disease. *Respiratory Medicine* 2007;101(2):286-93
- Pan L, Guo Y, Liu X, Yan J. Lack of efficacy of neuromuscular electrical stimulation of the lower limbs in chronic obstructive pulmonary disease patients: a meta-analysis. *Respirology* 2014;19:22-9
- Spruit M et al. An Official American Thoracic Society/European Respiratory Society Statement: Key Concepts and Advances in Pulmonary Rehabilitation *American Journal of Respiratory and Critical Care Medicine* 2013;188(8),e13-e64

- Vaidya T, de Bisschop C, Beaumont M et al. Is the 1-minute sit-to-stand test a good tool for the evaluation of the impact of pulmonary rehabilitation? Determination of the minimal important difference in COPD. *International Journal of Chronic Obstructive Pulmonary Disease*. 2016;19(11):2609-2616
- Varas A, Córdoba S, Rodríguez-Andonaegui I et al. Effectiveness of a community-based exercise training programme to increase physical activity level in patients with chronic obstructive pulmonary disease: A randomized controlled trial. *Physiotherapy Research International* 2018;23(4):e1740
- Yilmaz F, Aydin H. The effect of a regular walking program on dyspnoea severity and quality of life in normal weight, overweight, and obese patients with chronic obstructive pulmonary disease. *International Journal of Nursing Practice* 2018;24(3):1-11

Walking aids & positioning

- Ogino T, Mase K, Nozoe M et al. Effects of Arm Bracing on Expiratory Flow Limitation and Lung Volume in Elderly COPD Subjects. *Respiratory Care* 2015;60(9):1282-1287
- Vaes A et al. The Effects of a “New” Walking Aid on Exercise Performance in Patients With COPD: A Randomized Crossover Trial *Chest* 2012;141(5):124-1232
- Vaes A et al. Efficacy of walking aids on self paced outdoor walking in individuals with COPD: A randomized cross over trial *Respirology* 2015;20(6):932-939

Measuring breathlessness

- Banzett R O'Donnell CR, Guilfoyle TE, Parshall MB, Schwartzstein R, Meek P, Gracely R, Lansing RW. Multidimensional Dyspnea Profile an instrument for clinical and laboratory research *ERJ*, 2015; 45: 6; 1681-1691
- Booth S & Adams L *The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer. Thorax* 2001;56:146-50
- Tan J-Y, Yorke J, Harle A, Smith J, Blackhall F, Pilling A, Molassiotis A. Assessment of Breathlessness in Lung Cancer: Psychometric Properties of the D12 questionnaire *JPSM*; 2017; 53: 208-215

Singing & laughter

- Bonilha A, Onofre F, Vieira M et al. (2009) Effects of singing classes on pulmonary function and quality of life of COPD patients. *International Journal of Chronic Obstructive Pulmonary Disease* 2009;4:1-8
- Brutsche M, Brossman P, Muller R et al. Impact of laughter on air trapping in severe chronic obstructive lung disease. *International Journal of Chronic Obstructive Pulmonary Disease* 2008;3(1):185-192
- Lebowitz K, Suh S, Diaz P et al Effects of humor and laughter on psychological functioning, quality of life, health status, and pulmonary functioning among patients with chronic obstructive pulmonary disease: a preliminary investigation. *Heart & Lung: The Journal of Critical Care* 2012;40(4):310-319
- Lord V et al. Singing classes for chronic obstructive pulmonary disease: a randomized controlled trial *BMC Pulmonary Medicine* 2012;12:69
- McNamara R, Epsley C, Coren E et al. Singing for adults with chronic obstructive pulmonary disease (COPD) *Cochrane Database of Systematic Reviews* 2017:CD012296

Fatigue and other symptoms

- Cramp F, Bryon-Daniel J. Exercise for the management of cancer-related fatigue in adults. *Cochrane Database of Systematic Review* 2012:CD006145
- Goert Y, Looijmans M, Prins J et al. YMJ, Protocol: Fatigue in patients with chronic obstructive pulmonary disease: protocol of the Dutch multicentre, longitudinal, observational FANTASTIGUE study. 2018. *BMJ Open* 2018;8:4

- Jones J, Olson K, Catton P et al. Cancer-related fatigue and associated disability in post-treatment cancer survivors. *Journal of Cancer Survivorship* 2016;10(1):51-61
- Paddison J, Effing T, Quinn S, Frith P. Fatigue in COPD: association with functional status and hospitalisations. *European Respiratory Journal* 2013;41:565-570

Neuroscience

- Damasio A and Carvalho DB The Nature of Feelings: evolutionary and neurobiological origins. *Nat Rev Neuroscience* 2013; Feb 14 ; (2) 143-152
- Faull O, Hayen A, Pattinson KTS, Breathlessness and the Body: imaging clues for the inferential leap. *Cortex* 2017; 95: 211-221
- Hayen A., Wanigasekera V., Faull O.K., Campbell S.F., Garry P.S., Raby S.J.M. Opioid suppression of conditioned anticipatory brain responses to breathlessness. *NeuroImage*. January 2017:1–44.
- Herigstad M, Hayen A, Evans E et al. Dyspnoea-related cues engage the prefrontal cortex: evidence from functional brain imaging in COPD. *Chest* 2015;148(4):953-961

General

- Blinderman C, Homel P, Billings J et al. Symptom distress and quality of life in patients with advanced congestive heart failure. *Journal of Pain and Symptom Management* 2008;35(5):594-603
- Delmastro M, Santoro C, Nava S. Respiratory changes during defecation in patients with chronic respiratory failure. *European Respiratory Journal* 2004;23(4):617-61
- Gysels M, Higginson I. Access to services for patients with chronic obstructive pulmonary disease: the invisibility of breathlessness. *Journal of Pain and Symptom Management* 2008;36(5):451-6
- Johnson M, Bland JM, Gahbauer E et al. Breathlessness in elderly adults during the last year of life sufficient to restrict activity: prevalence, pattern and associated factors. *Journal of the American Geriatric Society* 2016;64:73-80
- Landers A, Wiseman R, Pitama S, Beckert L Patient perceptions of severe COPD and transitions towards death: a qualitative study identifying milestones and developing key opportunities *npj Primary Care Respiratory Medicine* (2015) 25, 15043;
- Landers A, Wiseman R, Pitama S, Beckert L, Severe COPD and the transition to a palliative approach *Breathe Breathe* 2017 13: 310-316
- Moens K, Higginson I, Harding R. Are there differences in the prevalence of palliative care-related problems in people living with advanced cancer and eight non-cancer conditions? A systematic review. *Journal of Pain and Symptom Management* 2014;48(4):660-677
- Nishimura K, Izumi T, Tsukino M et al. Dyspnoea is a better predictor of 5-year survival than airway obstruction in patients with COPD. *Chest* 2002;121:1434-1440

NAUSEA & VOMITING

Charlotte Leach

- Basch E. The Missing Voice of Patients in Drug-Safety Reporting. *New England Journal of Medicine* 2010;362:865-869.
- Childs D, Looker S, Le-Rademacher J et al. What occurs in the other 20% of cancer patients with CINV? A single institution qualitative study. *Supportive Care in Cancer* 2019;27:249-255.
- Chocron Y, Zuber JP, Vaucher J. Cannabinoid hyperemesis syndrome. *British Medical Journal* 2019;366:120-121.

- Harder S, Groenvold M, Isaksen J *et al.* Antiemetic use of olanzapine in patients with advanced cancer: results from an open-label multicenter study. *Supportive Care in Cancer* 2019;2849-2856.
- Hardy J, Skerman H, Glare P *et al.* A randomized open-label study of guideline-driven antiemetic therapy versus single agent antiemetic therapy in patients with advanced cancer and nausea not related to anticancer treatment. *BMC Cancer* 2018;18:510.
- Johnson P, Xiao Y, Wong L *et al.* Potentially Avoidable Hospital Readmissions in Patients with Advanced Cancer. *Journal of Oncology Practice* 2019;15(5):e420-e427.
- Leach C. Nausea and vomiting in palliative care. *Clinical Medicine* 2019;19(4):299-301. **Copy available on course website**
- Navari, R. Treatment of Breakthrough and Refractory Chemotherapy-Induced Nausea and Vomiting. *BioMed Research International* 2015; Article ID 595894. Accessed via: <https://doi.org/10.1155/2015/595894>.
- Navari R, Qin R, Ruddy K *et al.* Olanzapine for the Prevention of Chemotherapy-Induced Nausea and Vomiting. *New England Journal of Medicine* 2016;375:134-142.
- Rapoport B, Jordan K, Gascon P *et al.* Rolapitant in the current management of chemotherapy-induced nausea and vomiting. *European Oncology and Haematology* 2017;13(2):120-126.
- Roila F, Molassiotis A, Herrstedt M *et al.* 2016 MASCC and ESMO guideline update for the prevention of chemotherapy- and radiotherapy-induced nausea and vomiting in advanced cancer patients. *Annals of Oncology* 2016;27(supplement 5):v119-v133.
- Salsman J, Grunberg S, Beaumont J *et al.* Communicating about Chemotherapy-Induced Nausea and Vomiting: A Comparison of Patient and Provider Perspectives. *Journal of the National Comprehensive Cancer Network* 2012;10(2):149-157.
- Smith L, Azariah F, Lavender V *et al.* Cannabinoids for nausea and vomiting in adults with cancer receiving chemotherapy. *Cochrane Database of Systematic Reviews* 2015, Issue 11. Art. No.: CD009464. DOI: 10.1002/14651858.CD009464.pub2
- Vayne-Bossert P, Haywood A, Good P *et al.* Corticosteroids for adult patients with advanced cancer who have nausea and vomiting (not related to chemotherapy, radiotherapy, or surgery). *Cochrane Database of Systematic Reviews* 2017, Issue 7. Art. No.: CD012002. DOI: 10.1002/14651858.CD012002.pub2.
- Walsh D, Davis M, Ripamonti C *et al.* 2016 Updated MASCC/ESMO consensus recommendations: Management of nausea and vomiting in advanced cancer. *Supportive Care in Cancer* 2017;25(1):330-340. **Copy available on course website**
- Yee C, Drost L, Zhang L *et al.* Impact of radiation-induced nausea and vomiting on quality of life. *Supportive Care in Cancer* 2018;26:3959-3966.

NUTRITIONAL PROBLEMS (AND SOLUTIONS)

Lindsey Allan

Refeeding syndrome

- Burger GCE, Sandstead HR, Drummond J. Starvation in Western Holland: 1945. *Lancet* 1945;246: 282-3
- NICE (2012) Nutrition Support in Adults, a quality Standard. <https://www.nice.org.uk/guidance/qs24>. Accessed online 25/08/2019
- Schnitker MA, Mattman PE, Bliss TL. A clinical study in malnutrition of Japanese prisoners of war. *Annals of Internal Medicine* 1951;35(1):69-96

Pancreatic exocrine insufficiency

- Friess H, Michalski CW. Diagnosing exocrine pancreatic insufficiency after surgery: when and which patients to treat. *HPB : the official journal of the International Hepato Pancreato Biliary Association*. 2009;11 Suppl 3:7-10.
- Genova Diagnostics. Digestion/Absorption Pancreatic Elastase. CDSA & CDSA 20 Support Guid. 2008
- Keller J, Layer P. Human pancreatic exocrine response to nutrients in health and disease. *Gut*. 2005;54 Suppl 6:vi1-28
- Leeds JS, Hopper AD, Hurlstone DP, Edwards SJ, McAlindon ME, Lobo AJ, Donnelly MT, Morley S, Sanders DS. Is exocrine pancreatic insufficiency in adult coeliac disease a cause of persisting symptoms? *Alimentary Pharmacology Therapeutics*. 2007 Feb 1;25(3):265-71.
- O'Keefe SJ, Cariem AK, Levy M. The exacerbation of pancreatic endocrine dysfunction by potent pancreatic exocrine supplements in patients with chronic pancreatitis. *Journal of Clinical Gastroenterology*. 2001;32(4):319-23.
- Pezzilli R, Barassi A, Morselli-Labate AM, Fantini L, Tomassetti P, Campana D, et al. Fecal calprotectin and elastase 1 determinations in patients with pancreatic diseases: a possible link between pancreatic insufficiency and intestinal inflammation. *Journal of Gastroenterology*. 2007;42(9):754-60.
- Pezzilli R, Andriulli A, Bassi C, Balzano G, Cantore M, Delle Fave G, et al. Exocrine pancreatic insufficiency in adults: a shared position statement of the Italian Association for the Study of the Pancreas. *World Journal of Gastroenterology*. 2013;19(44):7930-46.
- Roberts KJ, Bannister CA, Schrem H. Enzyme replacement improves survival among patients with pancreatic cancer: Results of a population based study. *Pancreatology* 2019;19:114-121
- Sikkens EC, Cahen DL, van Eijck C, Kuipers EJ, Bruno MJ. Patients with exocrine insufficiency due to chronic pancreatitis are undertreated: a Dutch national survey. *Pancreatology: official journal of the International Association of Pancreatology*. 2012;12(1):71-3.
- Whitcomb DC, Lehman GA, Vasileva G, Malecka-Panas E, Gubergrits N, Shen Y, et al. Pancrelipase delayed-release capsules (CREON) for exocrine pancreatic insufficiency due to chronic pancreatitis or pancreatic surgery: A double-blind randomized trial. *The American Journal of Gastroenterology*. 2010;105(10):2276-86.

Bile acid malabsorption

- Ruiz-Campos L, Gisbert JP, Ysamat M, Arau B, Loras C, Esteve M, et al. Systematic review with meta-analysis: the prevalence of bile acid malabsorption and response to colestyramine in patients with chronic watery diarrhoea and previous cholecystectomy. *Alimentary pharmacology & therapeutics*. 2019;49(3):242-50.
- Weber AM, Roy CC, Chartrand L, Lepage G, Dufour OL, Morin CL, et al. Relationship between bile acid malabsorption and pancreatic insufficiency in cystic fibrosis. *Gut*. 1976;17(4):295-9

Small intestinal bacterial overgrowth

- Bordin DO, Y. Drozdov. V, Silvestrova. S, Varvanina. G,. Importance of small intestinal bacterial overgrowth in chronic pancreatitis (Abstract). *Pancreatology : official journal of the International Association of Pancreatology*. 2013;13:S2-S98.
- Capurso G, Signoretti M, Archibugi L, Stigliano S, Delle Fave G. Systematic review and meta-analysis: Small intestinal bacterial overgrowth in chronic pancreatitis. *United European Gastroenterology Journal*. 2016 Oct;4(5):697-705.
- Pezzilli R. Chronic pancreatitis: maldigestion, intestinal ecology and intestinal inflammation. *World Journal of Gastroenterology*. 2009;15(14):1673-6.

Bowel obstruction

- Anthony T, Baron T, Mercadante S, et al. (2007) Report of the Clinical Protocol Committee: development of randomized trials for malignant bowel obstruction. *Journal of Pain and Symptom Management* 2007;34: S49–59.
- Arends J, Bachmann P, Baracos V et al. ESPEN Guidelines on nutrition in cancer patients. *Clinical Nutrition* 2017;36 (1)11–48. <http://www.espen.info/wp/wordpress/wp-content/uploads/2016/11/ESPEN-cancer-guidelines-2016-final-published.pdf>. Accessed online 25/08/2019
- Hu D, Ren J, Wang G et al. (2014) Exclusive enteral nutritional therapy can relieve inflammatory bowel stricture in Crohn’s disease. *Journal of Clinical Gastroenterology*. 2014; 48 (9): 790-795.
- Lee J, Allen R, Ashley S et al. (2014) On behalf of gastroenterology specialist group of the British dietetic association. British dietetic association evidence-based guidelines for the dietary management of Crohn’s disease in adults. *Journal of Human Nutrition and Dietetics* 2014;27:207-218.
- Mercadante S, Casuccio A, Mangione S. Medical treatment for inoperable malignant bowel obstruction: a qualitative systematic review. *Journal of Pain and Symptom Management* 2007;33:217–23.
- Ripamonti CI, Easson AM, Gerdes H. Management of malignant bowel obstruction. *European Journal of Cancer* 2008;44:1105–15.
- Sowerbutts AM, Lal S, Sremanakova J et al. Home parenteral nutrition for people with inoperable malignant bowel obstruction. *Cochrane Database Systematic Review*. 2018; 10;8:CD012812. doi: 10.1002/14651858.CD012812.pub2.
- Tuca A, Guell E, Martinez-Losada E, et al. Malignant bowel obstruction in advanced cancer patients: epidemiology, management, and factors influencing spontaneous resolution. *Cancer Management and Research*. 2012;4:159–69.

CIRCADIAN RHYTHM / SLEEP DISORDERS

Andrew Davies

- Debono M, Ghobadi C, Rostami-Hodjegan A et al. Modified-release hydrocortisone to provide circadian cortisol profiles. *Journal of Clinical Endocrinology and Metabolism* 2009; 94: 1548-54.
- Touitou Y, Bogdan A, Levi F et al. Disruption of the circadian patterns of serum cortisol in breast and ovarian cancer patients: relationships with tumour marker antigens. *British Journal of Cancer* 1996; 74: 1248-52.
- Cheatle MD, Webster LR. Opioid therapy and sleep disorders: risks and mitigation strategies. *Pain Med* 2015; 16: 522-6.
- Davies AN, Patel SD, Gregory A, Lee B. Observational study of sleep disturbance in advanced cancer. *BMJ Supportive and Palliative Care* 2017; 7:435-40. **Copy available on course website**
- Gibbins J, McCoubrie R, Kendrick AH et al. Sleep-wake disturbances in patients with advanced cancer and their family carers. *J Pain Symptom Manage* 2009; 38: 860-70.
- Graci G. Pathogenesis and management of cancer-related insomnia. *J Support Oncol* 2005; 3: 349-59.
- Howell D, Oliver TK, Keller-Olaman S et al. A Pan-Canadian practice guideline: Prevention, screening, assessment and treatment of sleep disturbances in adults with cancer, Toronto: Canadian Partnership Against Cancer (Cancer Journey Advisory Group) and the Canadian Association of Psychosocial Oncology, 2012.

WHAT ELSE IS NEW (SYMPTOMS)?

Andrew Davies; Andrew Dickman

- Davies A, Leach C, Caponero R, Dickman A, Fuchs D, Paice J, Emmanuel A. MASCC recommendations on the management of constipation in patients with advanced cancer. *Support Care Cancer* [Epub ahead of print]. *Copy available from Springer website: <https://rdcu.be/bN2q1>*

SAFE PRESCRIBING

Constanze Remi

- Burns E, McWilliams K, Ross C. A cautionary tale of oral naloxone. *J Pain Symptom Manage*. 2014; 47: e1-2.
- Gazarian M, Kelly M, McPhee JR et al. Off-label use of medicines: consensus recommendations for evaluating appropriateness. *Med J Aust*. 2006; 185: 544-8.
- Hanlon JT, Schmadler KE, Samsa GP et al. A method for assessing drug therapy appropriateness. *J Clin Epidemiol*. 1992; 45: 1045-51.
- Hasler-Gehrer S, Linecker M, Keerl A et al. Does coffee intake reduce postoperative ileus after laparoscopic elective colorectal surgery? A prospective, randomized controlled study: The Coffee Study. *Diseases of the Colon & Rectum*. 2019; 62: 997-1004.
- Heneka N, Shaw T, Rowett D et al. Opioid errors in inpatient palliative care services: a retrospective review. *BMJ Supportive & Palliative Care*. 2018; 8: 175-9.
- Hughes R, Blegen M. Medication Administration Safety. *Patient Safety and Quality: An Evidence-Based Handbook for Nurses* Rockville (MD) Agency for Healthcare Research and Quality (US), 2008.
- Jones LE, Norris WE. Rectal burn induced by hot coffee enema. *Endoscopy*. 2010; 42 Suppl 2: E26.
- Kang JH, Lee GW, Shin SH et al. Opioid withdrawal syndrome after treatment with low-dose extended-release oxycodone and naloxone in a gastric cancer patient with portal vein thrombosis. *J Pain Symptom Manage*. 2013; 46: e15-7.
- Kriel RL, Krach LE, Hoff DS et al. Failure of absorption of baclofen after rectal administration. *Pediatr Neurol*. 1997; 16: 351-2.
- Lisby M, Nielsen LP, Mainz J. Errors in the medication process: frequency, type, and potential clinical consequences. *International Journal for Quality in Health Care : Journal of the International Society for Quality in Health Care*. 2005; 17: 15-22.
- Lund BC, Carnahan RM, Egge JA et al. Inappropriate prescribing predicts adverse drug events in older adults. *Ann Pharmacother*. 2010; 44: 957-63.
- McLachlan AJ. Safe prescribing, rocket science and consumers. *Journal of Pharmacy Practice and Research*. 2018; 48: 4-6.
- McCarthy LM, Visentin JD, Rochon PA. Assessing the Scope and Appropriateness of Prescribing Cascades. *J Am Geriatr Soc*. 2019; 67: 1023-6.
- Morin L, Barclay S, Wastesson JW et al. Reply to Deprescription during last year of life in patients with pancreatic cancer: Optimization or nihilism? *Cancer*. 0.
- Peron EP, Marcum ZA, Boyce R et al. Year in review: medication mishaps in the elderly. *Am J Geriatr Pharmacother*. 2011; 9: 1-10.
- Rochon PA, Gurwitz JH. The prescribing cascade revisited. *Lancet*. 2017; 389: 1778-80.
- Rodziewicz TL and Hipskind JE. Medical Error Prevention. *StatPearls*. Treasure Island (FL): StatPearls Publishing StatPearls Publishing LLC., 2019.

- Roughead EE, Semple SJ, Rosenfeld E. The extent of medication errors and adverse drug reactions throughout the patient journey in acute care in Australia. *International journal of evidence-based healthcare*. 2016; 14: 113-22.
- Sashiyama H, Hamahata Y, Matsuo K et al. Rectal burn caused by hot-water coffee enema. *Gastrointest Endosc*. 2008; 68: 1008; discussion 9.
- Selge C, Bausewein C, Remi C. Rectal Administration of baclofen at the end of life. *J Pain Symptom Manage*. 2018; 56: e1-e3.
- Todd A, Holmes HM. Recommendations to support deprescribing medications late in life. *International Journal of Clinical Pharmacy*. 2015; 37: 678-81.
- WHO. PPE's new fact sheet on information needs of health professionals. 2010